	Ammilianation Ale	Amplicant(a)
Notice of Allowability	Application No.	Applicant(s)
	10/772,490	GILHOUSEN ET AL.
	Examiner	Art Unit
	KHAI TRAN	2637
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>4/25/2005</u> .		
2. The allowed claim(s) is/are 2,4,5,7-12,14 and 16-35.		
3. The drawings filed on <u>05 February 2004</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: * Applicant has THREE MONTHS EROM THE "MAILING DATE" of this communication to file a reply complying with the requirements.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of 		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amenda	

Application/Control Number: 10/772,490 Page 2

Art Unit: 2637

REASONS FOR ALLOWANCE

1. The amendment filed 4/25/2005 has been entered. Claims 1, 3, 6, 13, 15 have been cancelled. Claims 2, 4-5, 7-12, 14, 16-35 are pending in this Office action.

Allowable Subject Matter

- 2. Claims 2, 4-5, 7-12, 14, 16-35 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: none of the prior art of the record discloses or suggests a spread spectrum communication system comprising: processing circuitry coupled to the correlator for processing the despread signal to extract time information from the pilot signal; two receiving system each for receiving independently a user unit signal transmitted from a user as a direct sequence spread spectrum signal within which an information signal is modulated; and a diversity combiner coupled to the two receiving systems for combining signals received thereby to reconstruct the unit signal, and a first cell site unit configured to communicate through a direct sequence spread spectrum digital wireless link with at least one mobile unit; and a second cell site unit configured to communicate through a direct sequence spread spectrum digital wireless link with at least one mobile unit, and wherein the first and second cell site units are synchronized to each other.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2637

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to KHAI TRAN whose telephone number is (571) 272-3019. The examiner can normally be reached on 7:00AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JAY PATEL can be reached on (571) 272-2988. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KHAI TRAN
Primary Examiner

Umaranthu

Art Unit 2637